

# Instructions for authors<sup>\*</sup>

Mario Rossi<sup>1</sup>, Angelika Beyer<sup>1</sup>, and Ingrid Bernauer-Budiman<sup>2</sup>

<sup>1</sup> Department of Applied Mathematics, Ca' Foscari University of Venice  
Dorsoduro 3825/E, 30123 Venice, Italy  
`{rossi, beyer}@unive.it`

<sup>2</sup> Department of Physics, University of Bologna  
Via G. Garibaldi 1000, 45100 Bologna, Italy  
`bernauer@unibo.it`

J.E.L. classification: G13, G19.

## Abstract

Authors have to send the source files, e.g. .tex files for the text and .eps files for figures, and the final .pdf file<sup>1</sup> of the final version of her/his abstract. Italic type may be used to emphasize words. Bold type and underlining should be avoided.

The numbers accorded to propositions, theorems, etc. should appear in consecutive order, starting with the number 1, and not, for example, with the number 11. Sketches of proposition and related proof are:

**Proposition 1.** *Let  $E_i$  denote the event “ $w_j(i) \in (w^*(i) - \varepsilon^-(i), w^*(i) + \varepsilon^+(i))$ ”, where  $\varepsilon^-(i), \varepsilon^+(i) > 0$ , for a  $j \in \{1, \dots, N\}$  and with  $i = 1, \dots, M$ . [...]*

$$p = \Pr(E_1 \wedge \dots \wedge E_i \wedge \dots \wedge E_M) = \prod_{i=1}^M \frac{\varepsilon^+(i) + \varepsilon^-(i)}{b(i) - a(i)} \quad (1)$$

*Proof.* The values  $w_j(i)$ , for a  $j \in \{1, \dots, N\}$  and with  $i = 1, \dots, M$ , are generated by a realization of  $M$  mutually independent random variables. Due [...] from which  $p < 1$ .  $\square$

An example of referencing is: 1. An example of citation: [2]. An example of simple table is:

**Table 1.** Initial values of the MURAME parameters.

	<i>parameter</i> <sub>1</sub>	<i>parameter</i> <sub>2</sub>	<i>parameter</i> <sub>3</sub>
First approach	−3.03	0.14	5.09
Second approach	2.00	−1.11	1.00


---

<sup>\*</sup> Supported by [...].

<sup>1</sup> .pdf file is [...].

Figures should be numbered and should have a caption. It is forbidden the use of colors in figures. In any case, they will be reproduced in black and white.

Please, produce your figures in .eps format, and integrate them into your text file as follows:



**Fig. 1.** One kernel at  $x_s$  (*dotted kernel*) or two kernels at  $x_i$  and  $x_j$  (*left and right*) lead to the same summed estimate at  $x_s$ . This [...].

An example of an itemized list is:

- Item 1.
- Item 2.
- Item 3.

Program listings or program commands in the text are normally set in type-writer font, e.g., CMTT10 or Courier.

program Inflation (Output)

```
{Assuming annual inflation rates of 7%, 8%, and 10%,...
years};
const
    MaxYears = 10;
    [...]
```

end.

## References

1. Boyle, P.: Options: a Monte Carlo approach. *Journal of Financial Economics* **4** (1977) 323-338.
2. Hertz, J., Krogh, A., Palmer, R.G.: *Introduction to the Theory of Neural Computation*. Addison-Wesley, Reading (1991).
3. Rumelhart, D.E., Hinton, G.E., Williams, R.J.: Learning internal representations by error propagation. In: Rumelhart, D.E., McClelland, J.L., PDP Research Group (eds.): *Parallel Distributed Processing: Explorations in the Microstructure of Cognition. Foundations*, Vol. I. MIT Press, Cambridge (1986) 318-362.
4. van Leeuwen, J. (ed.): *Computer Science Today. Recent Trends and Developments*. Lecture Notes in Computer Science, Vol. 137. Springer-Verlag, Berlin (1995).
5. Werbos, P.J.: *Beyond Regression: New Tools for Prediction and Analysis in the Behavioral Sciences*, Doctoral Dissertation. Department of Applied Mathematics of the Harvard University, Cambridge (1974).